



Freelancer's E-Marketplace Information System Using Profile Matching Method

Riscal Arifin¹, Benny Daniawan², Dellih Wijaya³

^{1,2,3} Buddhi Dharma University, Information System, Banten, Indonesia

SUBMISSION TRACK

Received 20 December 2018;
Revised 12 January 2019;
Accepted 10 February 2019;
Available online 20 February 2019

KEYWORD

e-marketplace, Profile Matching, RAD, Freelancer's.

CORRESPONDENCY

E-mail: cal.riscal@email.com
b3n2y.miracle@gmail.com
dellih.wijaya@ubd.ac.id

A B S T R A C T

Now development of information technology and internet is very high and increasingly widespread. With the technology which is connected without limits time and place. The development of online transactions is very much in demand compared to conventional transactions, without a medium to make the right transactions, it will hamper the efficiency and effectiveness, so that transaction activities between sellers and buyers become inhibited. Therefore we need a solution to solve these problems, the progress of e-commerce in Indonesia is needed for the community. Developing technology can be implemented into the business field. So an e-marketplace application is needed to be built and designed as a web to transact between sellers and buyers. This website is developed using the profile-matching method and with the design of RAD (Rapid Application Development) which is an object-oriented approach to the system with the main goal of shortening the application processing time and process so that as soon as possible empowering the software system precisely and quickly which consists of the requirements planning, design system, instruction and implementation. The e-marketplace information system can increase freelancer revenue and the level of customer convenience in finding workers according to what is needed and can make the transaction process efficient and effective. As a result, it helps to provide decision criteria for the client selection.

INTRODUCTION

In the current era the development of information technology and the internet is very high and increasingly widespread. With the technology that is connected without a time and place limit, so that both are widely applied in business. E-commerce is a transaction using the internet and

computer with a web browser to introduce, offer, buy and sell products [1]. This e-commerce is a part of

e-business that covers a wider area. As looking through the benefits of technological advances, there are many people who have started to develop their systems through a website where

humans can get the information needed just by accessing it through websites that are connected to the internet. Along with the rapid development of technology many websites are made to facilitate transactions for both parties, but do not pay attention to aspects of the transaction process that pays attention if it is positioned as a customer by the Rapid Application Development (RAD) method which is part of the System Development Life Cycle or SDLC, SDLC is a method which software can be systematically developed and that will increase the likelihood of completing a project software within the time limit and maintain the quality of software products according to the standard [2]. RAD is the development of an information system with a relatively short time. To develop a normal information system requires a minimum of 180 days. But with the RAD method a system can be completed in only 60-90 days [3]. With the Profile-Matching method it will be easier for customers to search and find according to what is needed, especially for services where the freelancers do the work in accordance with what is desired by the customer or client who creates work for the freelancers and the information provided must be clear and precise in order to avoid mistakes in project work.

I. STUDY OVERVIEW

The study overview used as a reference for the study consisted of four journals.

The first journal discussed the research of using the RAD method to make the system process faster and create systems according to the needs in order to facilitate customers in using the website system that is made and make changes if there must be a change in the menu given in 2018 to get results namely the system becomes more effective to make the fast transaction process [4]. The second journal reviewing the research on the prototype UI that became part of the needs for customers where getting results is the customer becomes easier in conducting transaction processes that support customers to gain new experiences when using a website [5].

The third journal discussed the research in terms of e-marketplaces where in this journal reviews how to be able to design a website to be used in accordance with the needs that get results namely the system can be used in accordance with customer needs or in making transactions and can re-do transactions [6].

The fourth journal used to be a benchmark for measuring values in the use of the profile matching method for ranking in the system that can facilitate customers to find workers who fit the desired criteria from the results of the journal obtained profile matching method has an accuracy level of 98.8 % of manual counts and results in the website system [7].

II. FRAMEWORK




Figure 1 : Framework

III. METHOD

Profile Matching

Profile Matching or with Competency GAP Analysis is a decision making mechanism by assuming that there is an ideal level of predictor variables that must be possessed by applicants, rather than the minimum level, that must be passed. In profile matching, good and bad groups of employees are identified. Employees in the group were measured using several assessment requirements. Aspects of decision support assesment system is designed, so that users who in this case are managers of human resources can dynamically determine aspects of their own assessment and that make decision support system can be used more widely [8] [9]. These competencies / abilities must be fulfilled by custom service owners. In the Profile Matching process outline is the process of comparing individual competencies into standard competencies, the differences in competencies can be known (also called GAP), the smaller the GAP result is, then the smaller the value is as well, which means there would be a higher probability.

The GAP calculation formula as follows :

$$GAP = \text{Individual Competencies} - \text{Standard Competencies}$$

Notes :

GAP : Competence Difference

Individual Competency : Individual Competency Value

Standard Competency : Standard Competency Value

After determining the weight of the GAP value. Then each aspect is grouped into 2 (two) groups, namely the Core Factor and Secondary Factor groups. For the calculation of core factors can be shown as follow:

$$NCF = \frac{\sum NC}{\sum IC}$$

Notes :

NCF : The average value of the Core Factor

NC : Total number of core factor values

IC : Number of core factor items

Whereas the secondary factor calculation can be shown in the formula below :

$$NSF = \frac{\sum NS}{\sum IS}$$

Notes :

NSF : The average value of the Secondary Factor

NS : The total number of secondary factor values

IS : Number of secondary factor items

From the calculation results of each of the aspects above then the total value is calculated based on the presentation of the core and secondary. Examples of calculations can be seen as follow :

$$N = (x)\%NCF + (x)\%NSF$$

Information :

N : Total value of aspects

NCF : The average value of the core factor

NSF : The average value of the secondary factor

(*x*) % : Percent value entered

The end result of this process is the ranking of the choices of custom service owners. Determination of ranking refers to the results of certain calculations. The calculation can be shown as follow:

$$Ha = (x)\%N1 + (x)\%N2 + (x)\%N3$$

Information :

Ha : The final result

N1 : Criteria Value 1

N2 : Criteria Value 2

N3 : Criteria Value 3

(*x*)% : Percent Value inputted

IV. DISCUSSION

Profile Matching Step :

- There are 5 criteria: Web Develop, Photo & Videography, Make Up Artist, Editor, and Graphic Design.
- Look for GAP values, which have 3 levels that have different weights, that is expert, intermediate, and beginner.
- Determine weights based on GAP

Table 1. Rating Weight

NO	CF	SF	Value	Information
1	Expert	Expert	5	There is no difference (As required)
2	Intermediate	Intermediate	3	Individual Competency Less 2 levels
3	Beginner	Beginner	1	Individual Competency Less 4 levels

Table 2. Example of Expertise

No	Name	CF 1	CF 2	SF 1	SF 2	SF 3	SF 4	SF 5
1	Edo	E	I	E	B	E	I	E
2	Adi	I	E	B	I	I	E	E
3	Ley	E	-	B	I	-	B	B
4	Chen	E	E	E	E	I	E	E

Table 3. Giving Value

No	Name	CF1	CF2	SF 1	SF 2	SF 3	SF 4	SF 5
1	Edo	5	3	5	1	5	3	5
2	Adi	3	5	1	3	3	5	5
3	Ley	5	0	1	3	0	1	1
4	Chen	5	5	5	5	3	5	5

- Calculate NSF and NCF

Table 4. Calculation core/secondary factor

No	Name	$NCF = \frac{\sum NC}{\sum IC}$	$NSF = \frac{\sum NS}{\sum IS}$	$N = NCF \times 60\% + NSF \times 40\%$
1	Edo	4	3,8	3,92
2	Adi	4	3,4	3,76
3	Ley	2,5	1,2	1,98
4	Chen	5	4,6	4,84

- Calculating the Total Value

The final result is the ranking of freelancers. Determination of ranking refers to the results of calculations as follows:

$$Ha = (x)\% \times N_{category}$$

$$Ha = \text{Final Results}$$

$$N_{category} = \text{Values from categories}$$

$$(x)\% = \text{The percent value inputted}$$

- Perform Ranking Process

Table 5. Final Value Calculation

No	Name	Final Result
1	Chen	484
2	Edo	392
3	Adi	376
4	Ley	198

Name	Status	Score
chen	Apply to Client	484
Edo	Apply to Client	392
Adi	Apply to Client	376
Ley	Apply to Client	198

Figure 2 : Ranking on the system

According to the expertise possessed it can be concluded that the top ranking is the candidate with the highest score in accordance with the calculation of the expertise he has.

V. DISCUSSION

Tests conducted in this study are Black Box testing to determine the level of success of the system, Black Box Robustness Testing is used to prove that there are no errors if the input data is invalid.

Black Box Testing



Black Box Testing is a testing software in terms of functional specifications without testing the design and program code [10].

With this type of Robustness Testing, the testing is carried out with the data input process such as features provided whether it is suitable or not and whether an error occurs or not during the input process.

Robustness Testing is a testing with input data selected outside the specifications that have been defined. The purpose of this test is to prove that there are no errors if the input is invalid [11].

The following Black Box testing displays a menu in the following table :

Table 6. Black Box Testing

System Testing Scenarios	System Test
The All Request menu will bring up freelancer s who choose projects that have already been created	
Expected results	Test result
The system displays freelancer s who have chosen the project and are sorted according to their required expertise	

From the nine tests conducted on the menus in the system design: the Login Menu, Client Main Menu, Freelancer Main Menu, Create Job Menu, Job Search Menu, All Request Menu, Task List Menu, and Topup Menu. By using black box testing it is concluded that each module and menu has the results as expected.

VI. CONCLUSION

From the results of the analysis and design it can be concluded that :

- a. Client decision support system with the Profile Matching method helps the clients in making decisions with a ranking system of scores obtained by freelancers.
- b. The system provides detailed information about the work created by the client as well as the expertise possessed by the freelancer.
- c. The system can provide options according to the needs that is needed by the client.

REFERENCES

- [1] S. Isyanahapsari, dan S. Nurseto, “Pengaruh Periklanan Dan Kualitas Pelayanan Terhadap Keputusan Pembelian Secara Online Pada Situs Belanja Online (Studi Kasus pada Pengguna E-commerce Elevenia Di Kota Semarang)”, *Jurnal Ilmu Administrasi Bisnis*, Vol. 7, No. 1, pp. 117-129, 2018.
- [2] J. Andry, “Pengembangan Aplikasi Backup dan Restore Secara Automatisasi Menggunakan SDLC Untuk Mencegah Bencana”, *Jurnal Muara*, Vol. 1, No. 1, pp. 29-38, April 2017
- [3] S. Aswati, M. Ramadhan, A. Firmansyah, K. Anwar, “Studi Analisis Model Rapid Application Development Dalam Pengembangan Sistem Informasi”, *Jurnal Matrik*, Vol. 16, No. 2, Mei 2017.
- [4] S. Susilowati, dan M. Negara, “Implementasi Model Rapid Application Development (RAD) Dalam Perancangan Aplikasi E-Marketplace”, *Jurnal Techno Nusa Mandiri*, Vol. 15, No. 1, pp. 25-30, Maret 2018.
- [5] A. Prakasa, dan F. Ardiansyah, “Perancangan User Experience Aplikasi Marketplace Paket Wisata Indonesia untuk Wisatawan Lokal”, *Jurnal Ilmu Komputer Agri-Informatika*, Vol. 5, No. 1, pp 51-60, 2018.
- [6] R. Marco, dan B. Ningrum, “Analisis Sistem Informasi E-Marketplace Pada Usaha Kecil Menengah (UKM) Kerajinan Bambu Dusun Brajan”. *Jurnal Ilmiah DASI*, Vol. 18, No. 2, pp 49-53, Juni 2017.

- [7] A. Setiawan, D. Andreswari, dan F. Coestera, “Implementasi Metode Analisis GAP dan Profile Matching Untuk Seleksi Penerimaan Penyiar Radio (Studi Kasus PT. Radio Swaraunib FM)”, *Jurnal Rekursif*, Vol. 5, No. 3, pp 249-259, November 2017.
- [8] Kusriani, *Sistem Pendukung Keputusan*, Yogyakarta, 2007.
- [9] A. Pataropura, R. Riki, and J. Manu, “Decision Support System for Selection of Assembly Using Profile Matching Method and Simple Additive Weighting Method (Case Study: GKIN Diaspora Church)”, *bt*, vol. 2, no. 1, pp. 43-52, Oct. 2019.
- [10] A.S Rosa, dan M. Shalahuddin, *Rekayasa Perangkat Lunak Struktur dan Berorientasi Objek*, Informatika, Bandung, 2014.
- [11] A. Putra, R. Nyoto, dan H. Pratiwi, “Rancang Bangun Aplikasi Marketplace Penyedia Jasa Les Private di Kota Pontianak Berbasis Web”, *Jurnal Sistem dan Teknologi Informasi*, Vol. 5, No. 1, 2017.

BIOGRAPHY

Riscal Arifin Graduated from the Information Systems Study Program (S1) in the Electronic Business concentration in 2019.

Benny Daniawan Graduated from the Information Technology Study Program (S1) in 2011, continued his Masters in Information Systems in 2014 and graduated in 2016. He currently serves as a Lecturer in Information Systems Study Program, Buddhi Dharma University.

Dellih Wijaya Graduated from the Information System Study Program (S1) in 2003, continued his Masters in Management in 2005 and graduated in 2009. She currently serves as a Lecturer in Information Systems Study Program, Buddhi Dharma University.