

PROOF Correction on Atom Indonesia

Article No. : #444

Title of Paper : Optimization of Electrodeposition Parameters to Increase ^{99m}Tc Radioactive Concentration

Referee Name : XXXXXXXXXX

Line Number	Original Text	Correction	Note / Change
13 (abstract)	...while the optimum concentration of electrolytes was 0.67 M. The optimum deposition voltage and duration were...	...while the optimum concentration of electrolytes was 0.67 M. The optimum deposition voltage and duration were...	'depostion' become 'deposition'
28	The combination of sufficient dose and radioactive concentration is an important factors in good biodistribution and imaging quality	The combination of sufficient dose and radioactive concentration is an important factor in good biodistribution and imaging quality	'factors' become 'factor'
300	The effects of NaNO_2 was different from those of other electrolytes even at the same concentration of electrolyte.	The effects of NaNO_2 were different from those of other electrolytes even at the same concentration of electrolyte.	'was' become 'were'
306	Zhang <i>et al.</i> [18] found that the addition of NaNO_2 in electrodeposition of lithium reduce the hydrogen evolution.	Zhang <i>et al.</i> [18] found that the addition of NaNO_2 in electrodeposition of lithium reduces the hydrogen evolution.	'reduce' become 'reduces'
363	This condition was caused by an increase in the rate of hydrogen gas evolution, preventing deposition of ^{99m}Tc on cathode surface.	This condition was caused by an increase in the rate of hydrogen gas evolution, preventing deposition of ^{99m}Tc on the cathode surface.	Add 'the' before 'cathode surface'

Please return to Atom Indonesia Editorial Office via e-mail: atomindonesia@batan.go.id

This original sheet should be returned to:
PPIKSN-BATAN, Atom Indonesia Administrator, Gedung 71, Lantai 1, Puspiptek Area Serpong, Tangerang, Indonesia 15310.