



C. Uji Normalitas



a. Internet Addiction Test (IAT)

N	Mean	Std. Deviasi	Median	Skewness	Kurtosis
220	66,93	15,429	68,00	-1,025	1,003



b. *Consideration of future consequences (CFC)*

N	Mean	Std. Deviasi	Median	Skewness	Kurtosis
220	50,95	14,026	51,00	,680	,004



D. Hasil Uji Linieritas

ANOVA Table

			Sum of Squares	df	Mean Square	F	Sig.
CFC * IAT	Between Groups	(Combined)	38870,288	46	845,006	34,713	,000
		Linearity	35093,668	1	35093,668	1441,661	,000
		Deviation from Linearity	3776,620	45	83,925	3,448	,000
	Within Groups		4211,258	173	24,343		
Total			43081,545	219			

Measures of Association

	R	R Squared	Eta	Eta Squared
CFC * IAT	-,903	,815	,950	,902

E. Deskriptif statistik

Descriptive Statistics

	N	Minimum	Maximum	Sum	Mean		Std. Deviation
	Statistic	Statistic	Statistic	Statistic	Statistic	Std. Error	Statistic
IAT	220	22	95	14725	66,93	1,040	15,429
CFC	220	30	89	11210	50,95	,946	14,026
Valid N (listwise)	220						

F. Uji Hipotesis

Correlations

		IAT	CFC
IAT	Correlation Coefficient	1,000	-,771**
	Sig. (2-tailed)	.	,000
	N	220	220
CFC	Correlation Coefficient	-,771**	1,000
	Sig. (2-tailed)	,000	.
	N	220	220

** . Correlation is significant at the 0.01 level (2-tailed).