

# Daily Profit Analysis: Daily Productivity Scheduling with Multiple Linear Regression

Fredi Ganda Putra\*, Muhamad Syazali

Universitas Islam Negeri Raden Intan Lampung, Indonesia

## ARTICLE INFO

#### Article History

Received : xx-xx-20xx Revised : xx-xx-20xx Accepted : xx-xx-20xx Published : xx-xx-20xx

## ABSTRACT

The purpose of this study was to see which day factors (Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday) had the greatest impact on the net income of a store. The method used is a quantitative method using multiple linear analysis. The results show that Monday is the most influential on profits.

#### Keywords:

Daily Productivity; Multiple Lenear Regression; Profit.

\*Correspondence: E-mail: <u>fredigpsw@radenintan.ac.id</u>

Doi: 10.24042/dim.v3i3.11451

http://ejournal.radenintan.ac.id/index.php/desimal/index

#### **INTRODUCTION**

The business of selling market snacks with a consignment system is a selling point system that only provides a place and receives the deposited goods to be sold, then it will be returned to the producer or distributor who entrusted the product if the goods do not sell (Irawan 2018). Based on the statement above, this consignment system is very profitable, because the risk of loss is very small if the goods are not sold, so it is necessary to know the amount of income. Revenue is the result of a sale of goods or products. The revenue can be seen after the sales process has been completed. This encourages researchers to conduct research on the income of market traders in the market snack sector at the Way Halim Perumnas market, precisely at the Via store.

Problems related to the process of maximizing profits on market snacks at Perumnas Way Halim Market are the optimal solution in sales. Given that the level of profit, selling factors, and market snacks sold by these traders have a close relationship, the solution to the problem used is a regression analysis tool. In this study, the method used is multiple regression analysis method, because the independent variable in this study is more than one. Multiple regression analysis method is a test technique used to determine the effect of the independent variable on the dependent variable (Yuliandi, Mulyadi, dan Yusuf 2016).

When solving problems using the regression analysis method, one must first translate the constraints contained in the regression analysis problem into a mathematical formulation. This process is known as a mathematical model. Mathematical model can be defined as a mathematical formulation obtained from the results of one's interpretation when translating a regression analysis problem

#### METHOD

This research is quantitative research. Quantitative research is research using numbers and analyzing it using statistical data. This quantitative research aims to show the relationship between variables, test theories, and find conclusions that have presentation values (Sugiyono 2015). This study looks for the relationship and the magnitude of the relationship between sales days and sales profits at the Via market snack shop at the Way Halim Perumnas market.

Data collection techniques used using documentation, interviews, and observations. The data analysis technique used is multiple regression analysis with

### **RESULTS AND DISCUSSION**

#### A. Analisis Regresi Linier Berganda

Based on multiple linear regression analysis between turnover on Monday  $(X_1)$ , Tuesday  $(X_2)$ , Wednesday  $(X_3)$ , Thursday  $(X_4)$ , Friday  $(X_5)$ , Saturday  $(X_6)$ , into mathematical language. А mathematical model is said to be good if in the model there are only the parts that are needed. As is the case in the process of selling market snacks at the Way Halim Perumnas market which has several obstacles in selling market snacks. Based on interviews conducted with the owner of the Via market snack shop, Mr. Sabirin at the Way Halim Perumnas market, the Via shop in selling market snacks gets different incomes every day. This is one of the factors that cause the optimum profit has not been achieved. For this reason, we will discuss the optimum advantages of using the regression analysis method.

seven independent variables, namely  $X_1$ (Monday turnover),  $X_2$  (Tuesday's turnover),  $X_3$  (Wednesday's turnover),  $X_4$ (Thursday's turnover),  $X_5$  (Friday turnover),  $X_6$  (Saturday turnover),  $X_7$ (Sunday turnover) and one of dependent variable Y (net profit).

The multiple linear regression equation used by the researcher is as follows:

$$Y = a + b_1 X_1 + b_2 X_2 + b_3 X_3 + b_4 X_4 + b_5 X_5 + b_6 X_6 + b_7 X_7$$
  
Information :

Y =Net profit

a = Constanta

*b* = Regression coefficient (increase or decrease value)

Sunday ( $X_7$ ), and net profit (Y) with the help of SPSS software in data analysis can be obtained from several equation models as follows:

1) Top Multiple Linear Regression Model  $(X_1), (X_2), (X_3), (X_4), (X_5), (X_6), (X_7)$  against *Y* 

#### Desimal, 3 (3), 2020 - 289 Fredi Ganda Putra, Muhamad Syazali

	Table 1. Multiple Linear Regression Test Results Model 1									
Un			dardized	Standardized						
	Coeffi		ficients	Coefficients						
Model					t	Sig.				
		В	Std. Error	Beta						
1	(Constant)	496	.152		-3.261	.002				
	Monday	.217	.010	.436	21.441	.000				
	Tuesday	.122	.011	.213	10.873	.000				
	Wednesday	001	.009	001	110	.913				
	Thursday	.087	.009	.202	9.497	.000				
	Friday	.106	.011	.133	9.642	.000				
	Saturday	.085	.007	.185	12.385	.000				
	Sunday	.010	.007	.016	1.419	.163				

#### **D** .

Source : Data Processing, 2020

Table 2 Multi	nle Linear Regr	ession Test Res	ults Data R (S	anaroj	Model 1
Table 2. Multi	pie Linear Regi	ession rest res	ouits Data n (S	yuarej	mouel 1

	Model	R	R Square	Adjusted R Square	Estimate			
	1	.997a	.995	.994	,110108			
Source : Data Processing, 2020								

Based on Table 1, the regression model is obtained as follows:

 $Y = -0,496 + 0,217X_1 + 0,122X_2 + (-)0,001$  $X_3 + 0,087 X_4 + 0,106 X_5 + 0,085 X_6 + 0,010$  $X_7$ 

Significance value X<sub>1</sub>, X<sub>2</sub>, X<sub>3</sub>, X<sub>4</sub>, X<sub>5</sub>, X<sub>6</sub>,  $X_7 < 0.05$  i.e. each of 0.000; 0.000; 0,000 ; 0,000 and 0,000 indicates that between Monday's turnover  $(X_1)$ , Tuesday  $(X_2)$ , Thursday  $(X_3)$ , Friday ( $X_4$ ), Saturday ( $X_5$ ), partially have a positive and significant effect on net profit (Y). It turns out that the significant value of turnover on Wednesday ( $X_3$ ) is 0.913 and Sunday  $(X_7)$  is 0.163 > 0.05, indicating that Wednesday and Sunday do not have a positive and significant effect on net profit (Y). The coefficient value (RSquare) is the value used to see the

extent to which the model formed can explain the actual conditions. The R Square value of the model is 0.995, which means that 99.5% of the net profit earned by Via cake sellers is influenced by the turnover variable on Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday. While the remaining 0.5% is influenced by other variables not examined. The formulation of the hypothesis for the regression coefficient is:

$$H_0 = \beta_i = 0, i = 1, 2, 3, 4, 5, 6, 7$$
  
$$H_1 = \beta_i \neq 0, \text{ (one of } \beta_i \neq 0)$$

**Upper Multiple Linear** 2) Regression Model  $(X_1)$ ,  $(X_2)$ ,  $(X_4), (X_5), (X_6)$  to Y

Гable З.	Multiple	Linear <b>R</b>	egression	Test R	esults l	Model 2

Unstandardized		dardized	Standardized						
Model	Coeff	icients	ents Coefficients		Sig.				
	В	Std. Error	Beta						
2 (Constant)	360	.103		-3.494	.001				
Monday Tuesday	.215	.010	.431	21.511	.000				
Thursday	.122	.011	.213	11.184	.000				
Friday	.088	.009	.203	10.136	.000				
Saturday	.109	.011	.136	10.010	.000				
	.084	.007	.181	12.347	.000				

Source : Data Processing, 2020

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
2	.997a	.995	.994	,110151

 Table 4. Multiple Linear Regression Test Results Data R (Square) Model 2

Based on Table 3, the regression model is obtained as follows:

 $Y = -0,360 + 0,215 X_1 + 0,122 X_2 + 0,088 X_4 + 0,109 X_5 + 0,107 X_6$ 

The significance values of  $X_1, X_2, X_4, X_5, X_6$ are 0,000 respectively; 0.000 ; 0.000 ; 0.000 ; 0.000 ; 0.000, indicating that turnover on Monday  $(X_1)$ , Tuesday  $(X_2)$ , Thursday  $(X_4)$ , Friday  $(X_5)$ , and Saturday  $(X_6)$ , partially has a positive and significant effect on net profit (Y). The coefficient value (R Square) is the value used to see the extent to which the model formed can explain the actual conditions. The R Square value of the model is 0.995, which means that 99.5% of the net profit obtained by the Via cake seller is influenced by the turnover variable on Mondays, Tuesdays, Thursdays, Fridays, and Saturdays. While the remaining 0.5% is influenced by other variables not examined.

#### B. Result of Regression Model

Based on the description of the regression model that has been obtained, it can be seen that the model that has the largest correlation is the second model, namely:

 $Y = -0,360 + 0,215 X_1 + 0,122 X_2 + 0,088 X_4 + 0,109 X_5 + 0,107 X_6$ 

variables for Wednesday  $(X_3)$ , Sunday  $(X_7)$ , are not included in the model because on Wednesday and Sunday, the income or income is less than on other days. The selection of the model in this case aims to find out that the selected model can explain the behavior of the dependent variable well. The multiple linear regression model obtained is in the form of a mathematical model which explains that:

1) A constant value of -0.360 means that if the independent variable consisting

of Monday  $(X_1)$ , Tuesday  $(X_2)$ , Thursday  $(X_4)$ , Friday  $(X_5)$ , and Saturday  $(X_6)$  is considered 0 (zero) or If not applied, the net profit for Via stores is -0.360.

- 2) Monday's regression coefficient  $(X_1)$  is 0.215, meaning that if the price increases by 1 scale in the respondent's answer, it will increase the net profit at the Via store by 0.215 units assuming other variables are considered constant or constant.
- 3) Tuesday's regression coefficient  $(X_2)$  is 0.122, meaning that if the price increases by 1 scale in the respondent's answer, it will increase the net profit at the Via store by 0.122 units assuming other variables are considered constant or constant.
- 4) Thursday's regression coefficient  $(X_4)$  is 0.088, meaning that if the price increases by 1 scale in the respondent's answer, it will increase the net profit at the Via store by 0.088 units assuming other variables are considered constant or constant.
- 5) Friday's regression coefficient  $(X_5)$  is 0.109, meaning that if the price increases by 1 scale in the respondent's answer, it will increase the net profit at the Via store by 0.109 units assuming other variables are considered constant or constant.
- 6) Saturday's regression coefficient  $(X_6)$  is 0.084, meaning that if the price increases by 1 scale in the respondent's answer, it will increase the net profit at the Via store by 0.084 units assuming other variables are considered constant.
- 7) Thus, it can be seen that the most dominant variable influencing the increase in net profit is Monday  $(X_1)$ ,

because it has a greater contribution than other days.

The classical assumption test is carried out so that the regression model used can provide representative results. This is done to obtain the right analytical model.

- C. Classical Assumption Test Results
- 1) Normality Test



### **Figure.1 Normality Test Results**

Source : Data Processing, 2020

The normal probability plot graph above shows that the data spreads around the diagonal line and the distribution follows the direction of the diagonal line, so the regression model fulfills the assumption of normality.

## 2) Multicollinearity Test

### **Table 5. Multicolonearity Test Results**

	Model	Collinearity Statistics		
		Tolerance	VIF	
1	(Constant)			
	Monday	.294	3.403	
	Tuesday	.324	3.085	
	Thursday	.294	3.400	
	Friday	.643	1.555	
	Saturday	.547	1.829	
0	<b>D</b> . D	1 0000		

Source : Data Processing, 2020

Table 5 shows that the five variables above have a VIF value of 3.403; 3,085 ; 3,400 ; 1,555 ; and 1.829 < 10 and each tolerance value is > 0.1 so it can

be concluded that there is no multicollinearity between the independent variables in the regression model.

#### **Desimal, 3 (3), 2020 - 292** Fredi Ganda Putra, Muhamad Syazali

Table 6. Heteroscedasticity Test Results									
		Standardized							
	Model	Coeffic	ients	Coefficients	Т	Sig.			
		В	Std. Error	Beta					
1		.139	.058		2.402	.060			
	(C	004	.006	205	783	.438			
	onstant)					.756			
	Monday	.002	.006	.078	.312	.632			
	Tuesday	002	.005	127	483	.807			
	Thursday	002	.006	044	246				
	Friday	.001	.004	.033	.173	.864			
	Saturday								

#### 3) Heteroscedasticity Test

Source: Data Processing, 2018

Table 6 shows that the independent variable that is regressed with absolute residual produces a significance value (sig) > 0.05. So it can be concluded that there is no symptom of heteroscedasticity between the variables in the regression model.

Based on the results of the multiple linear regression calculation above, it can be concluded that Monday is the day that has the most positive effect on net profit. This complements some relevant research on the effect of time on profit gain (Adisetiawan 2012; Mona, Kekenusa, dan Prang 2015; Triyanto, Sismoro, dan Laksito 2019; Panggabean, Buulolo, dan Silalahi 2020).

### **CONCLUSIONS AND SUGGESTIONS**

Based on the results of research and data analysis, a conclusion can be drawn that the mathematical model of the profit selling market snacks, namely:

 $Y = -0,360 + 0,215 X_1 + 0,122 X_2 + 0,088 X_3 + 0,109 X_5 + 0,107 X_6.$ 

The highest regression coefficient value in mathematical modeling is the Monday variable regression coefficient  $(X_1)$  of 0.215. This shows that the most influential variable from profit to sales is Monday  $(X_1)$ .

Based on the conclusion, the authors put forward suggestions for the Via store to reduce or maybe rest or close on Wednesdays and Sundays and for further researchers, things that can be taken into consideration are due to the predictive ability of 5 independent variables on a net profit of 99.5 %, while the remaining 0.5% is influenced by other factors outside the regression model. So it is necessary to conduct an assessment by deepening or developing research variables.

### REFERENCES

- Adisetiawan, R. 2012. "Analisis pengaruh kinerja keuangan dalam memprediksi pertumbuhan laba." *Jurnal aplikasi manajemen* 10(3):669–681.
- Irawan, Arief. 2018. "Pengaruh Profitabilitas, Likuiditas, Ukuran Perusahaan dan Struktur Aktiva terhadap Struktur Modal (Studi Kasus pada Perusahaan Sektor Properti, Real Estate dan Konstruksi Bangunan yang Terdaftar di Bursa Efek Indonesia)."
- Mona, Margareta, John Kekenusa, dan Jantje Prang. 2015. "Penggunaan Regresi Linear Berganda untuk Menganalisis Pendapatan Petani Kelapa. Studi Kasus: Petani Kelapa Di Desa Beo, Kecamatan Beo Kabupaten Talaud." *d'CARTESIAN* 4(2):196–203.

- Panggabean, Devi Sari Oktavia, Efori Buulolo, dan Natalia Silalahi. 2020. "Penerapan Data Mining Untuk Memprediksi Pemesanan Bibit Pohon Dengan Regresi Linear Berganda." JURIKOM (Jurnal Riset Komputer) 7(1):56–62.
- Sugiyono. 2015. *Metode Penelitian Kuantitatif, Kualitatif dan R&D.* Bandung: Alfabeta.
- Triyanto, Ervan, Heri Sismoro, dan Arif Dwi Laksito. 2019. "Implementasi Algoritma Regresi Linear Berganda Untuk Memprediksi Produksi Padi Di Kabupaten Bantul." *Rabit: Jurnal Teknologi dan Sistem Informasi Univrab* 4(2):73–86.
- Yuliandi, Yuliandi, J. M. V. Mulyadi, dan Muhammad Yusuf. 2016.

"Pengaruh Profitabilitas, Tangibilitas, Risiko Bisnis, Pajak, Non Debt Tax Shield Terhadap Struktur Modal Serta Implikasinya Terhadap Nilai Perusahaan." *JRAP (Jurnal Riset Akuntansi dan Perpajakan)* 3(02):251–263. **Desimal, 3 (3), 2020 - 294** Fredi Ganda Putra, Muhamad Syazali