Design of the expert system to analyze disease in Plant Teak using Forward Chaining

Poningsih¹, Solikhun², Iswar Ahmad³ Teknik Informatika, ¹AMIK & STIKOM Tunas Bangsa Pematangsiantar Pematangsiantar, North Sumatra, Indonesia

poningsih@amiktunasbangsa.ac.id1*, solikhun@amiktunasbangsa.ac.id2, iswar@yahoo.com3

ARTICLE INFO

ABSTRACT

Article history: Received : 05/10/2017 Revised : 05/30/2017 Accepted : 06/03/2017

Keywords: Expert system; Forward Chaining; Plant teak; Teak is one kind of plant that is already widely known and developed by the wider community in the form of plantations and community forests. This is because until now Teak wood is a commodity of luxury, high quality, the price is expensive, and high economic value. Expert systems are a part of the method sciences artificial intelligence to make an application program disease diagnosis teak computerized seek to replace and mimic the reasoning process of an expert or experts in solving the problem specification that can be said to be a duplicate from an expert because science knowledge is stored inside a database Expert System for the diagnosis of disease teak using forward chaining method aims to explore the characteristics shown in the form of questions in order to diagnose the disease teak with web-based software. Device keel expert system can recognize the disease after consulting identity by answering some of the questions presented by the application of expert systems and can infer some kind of disease in plants teak. Data disease known customize rules (rules) are made to match the characteristics of teak disease and provide treatment solutions.

Copyright © 2017 International Journal of Artificial Intelegence Research. All rights reserved.

I. Introduction

Teak is a commodity of wood luxury, high quality, the price is expensive, and high economic value. Teak wood can be used as a base for housing construction, bridge construction, plywood, chassis frames, doors, windows, carving crafts of high artistic value also for furniture. In Indonesia, Teak is one plant that is able to contribute to the supply of wood raw material [1]. Excess Teak lies not only in the quality of wood which was very nice and very high economic value but also because of the properties of the silvicultural generally been mastered [2]. Teak wood is durable and strong. However, there are problems that hamper the process of the teak cultivation. There are various problems that arise in the process of cultivating teak, for example, the process of obtaining seeds of superior quality, the wrong way of planting, breeding, and the most common is the problem of pests and diseases [3]. Pest and disease problems are very disturbing pstemuctivity of teak farmers , because it can lead to decreased quality of pstemuction even the worst can lead to crop failure [4]. Consultation to someone who has expertise in certain subject in solving a problem is the right choice in order to get answers, advice, solutions, best decision or conclusion [5]. Answer an expert on a consultancy course very trustworthy or accountable and can affect the quality and the quality of the result of a problem, this is because an expert is always dominated to the plane he learned based on science and experience [6]. In this case the role of an expert is very reliable for determine the type of pests and diseases and give examples of countermeasures in order to get the best solution [7]. Similarly, if found any kind of pests and new diseases in plants, then an expert should do some research in order to obtain the particulars of pests or diseases new and as soon as possible socialization to farmers or farmer groups about the types of pests and diseases of new and how to handle [8]. However, there are constraints facing farmers plant teak. One is, the limitations to consult to an expert [9]. What if want to ask an expert about what caused crop failures and others, and the additional costs to be incurred when you want to consult with the experts [10]. This research explains how the methodology used to solve research problems [11]. The purpose of this study was to analyze the disease in teak plants so that it can find a solution for the problematic of teak becaused not all mobile workers know about pest control [12].

II. Methods

Research conducted at the place of teak plantations in Pasaman, where the plantations are privately owned teak plantations and also many teak plants are attacked by pests and diseases [13]. Research data collection techniques using direct analysis techniques in the field and accompanied by expert interviews method / field workers on the issues of disease and pest what and how the situation encountered in the field [14]. Information displayed on the system includes data diseases / pests that have identified the symptoms and solutions. In this menu the user can analyze the plant in question [15]. Having followed all the processes that are expected by the system will display the information of users, types of diseases / pests that attack, and solutions to overcome the disease / pest on plants teak [16].

III. Result

The characteristics of the disease that can be identified on a teak plantation consists of three aspects, namely [17] :

1. Physical Symptoms

- 2. Time Attack
- 3. Age Plants Attacked

Thus, it can be determined the characteristics of the table or tables identifying disease symptoms of the disease that is seen as in the following table [18]:

Table I Data Pest / Disease and Characteristics

No	types of pests	Physical symptoms	time Attack	Age Plants Attacked
1	Teak caterpillar pests	Perforated leaf	Nov-jan	Mature teak
2	Uretpests	Damaged roots and plants wilt	February-april	Seed field
3	Red mite pests / akarina	Pale yellow leaves	June-august	Seedling
4	White Mite pests / lice wax	Curly leaf shoots	Any time	Mature teak
5	White fliesPests	Wilted leaves and Perforated stem	Any time	Seedling
6	Wilt disease	Wilted leaves and sandbar	August-february	Seedling
7	Termites Pests	Perforated stem	Any time	Mature teak
8	Shaky-shaky	There is liang auger in stem	March april	Mature teak
9	Borer shoot pest	Nursery shoots wither	Any time	Seed field
10	White Mite pests	Leaf curl	February to september	Mature teak
11	White butterflyPests / diver	Fall	February to september	Mature teak
12	Powder wet beetle pest	Skin stem become dark chocolate	Any time	Mature teak
13	Bacterial wilt disease	Withered leaves, scrolling and dries	Any time	Seed field / Mature teak
14	Inger-inger	Swelling in stem	Any time	Mature teak

As for the solution or way of controlling diseases / pests that attack plants teak above are:

	Τ	able	e Il
--	---	------	------

No	No Code Identification	
1 C01 Theplant's age that attacked		Theplant's age that attacked is mature teak
2	C02	Theplant's age that attacked is Seed Field
3	C03	Theplant's age that attacked is Seed
4	C04	Perforated leaf
5	C05	Damaged roots
6	C06	plants wilt
7	C07	Pale Yellow Leaves
8	C08	Curly leaf shoots
9	C09	Withered leaves
10	C10	Perforated stem
11	C11	Sandbar leaves
12	C12	There is liang auger in stem
13	C13	Nursery shoots wither
14	C14	leaf curl
15	C15	Fall
16	C16	Skin stem become dark chocolate
17	C17	Scrolling leaves
18	C18	Withered leaves and Dries
19	C19	There is Swelling in stem
20	C20	Occurred Between the November-January
21	C21	Occurred Between the February - April
22	C22	Occurred Between the June - August
23	C23 Occurred Between the August - February	
24	C24	Occurs Between the March-April
25	C25	Occurred Between the February - Septemb

As in this case, there are 27 rules needed to find a conclusion to be made through the questions that correspond with the identification data. From the identification data that has been obtained as shown in Table 6 above, the question can be classified by age identification variable plants are attacked first. Because the plants age data are common traits, which is where one of the plants age certainly is True that later will facilitate reasoning to determine identification which subsequently came to the conclusion sought. If the system already knows the age of teak plants are attacked, it will continue with questions about physical symptoms and the time of the attack. The rules are reflected in the hierarchy of the following Rules :




Table III Table Description

C01Theplant's age that attacked is mature teakC02Theplant's age that attacked is Seed FieldC03Theplant's age that attacked is SeedC04Perforated leafC05Damaged rootsC06plants wiltC07Pale Yellow LeavesC08Curly leaf shootsC09Withered leavesC10Perforated stemC11Sandbar leavesC12There is ligng auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the August - FebruaryC23Occurred Between the August - FebruaryC24Occurred Between the February - SeptemberC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UzetpestsP03Red mite pests / akarinaP04White Mite pests / lice waxP05White fliesPesta	Structur	Explanation
Classical Colspan="2">Classical Colspan="2"Classical Colspan="2"Classical Colspan="2"Classical Colspan="	C01	Theplant's age that attacked is mature teak
C04Perforated leafC05Damaged rootsC06plants wiltC07Pale Yellow LeavesC08Curly leaf shootsC09Withered leavesC10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the August - FebruaryC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C02	Theplant's age that attacked is Seed Field
C05Damaged rootsC06plants wiltC07Pale Yellow LeavesC08Curly leaf shootsC09Withered leavesC10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the June - AugustC23Occurred Between the March-AprilC24Occurred Between the February - SeptemberC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C03	Theplant's age that attacked is Seed
C06plants wiltC07Pale Yellow LeavesC08Curly leaf shootsC09Withered leavesC10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the June - AugustC23Occurred Between the March-AprilC24Occurs Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UrstpestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C04	Perforated leaf
C07Pale Yellow LeavesC08Curly leaf shootsC09Withered leavesC10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the June - AugustC23Occurred Between the March-AprilC24Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C05	Damaged roots
C08Curly leaf shootsC09Withered leavesC10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the August - FebruaryC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UrstpestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C06	•
C09Withered leavesC10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the August - FebruaryC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C07	Pale Yellow Leaves
C10Perforated stemC11Sandbar leavesC12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax		
C11Sandbar leavesC12There is ligng auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C09	Withered leaves
C12There is liang auger in stemC13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP03Red mite pests / akarinaP04White Mite pests / lice wax		Perforated stem
C13Nursery shoots witherC14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax		
C14leaf curlC15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the August - FebruaryC24Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax	C12	There is liang auger in stem
C15FallC16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the August - FebruaryC24Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax		
C16Skin stem become dark chocolateC17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the August - FebruaryC24Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax		leaf curl
C17Scrolling leavesC18Withered leaves and DriesC19There is Swelling in stemC20Occurred Between the November-JanuaryC21Occurred Between the February - AprilC22Occurred Between the June - AugustC23Occurred Between the August - FebruaryC24Occurred Between the March-AprilC25Occurred Between the February - SeptemberC26Occurred Between the February - SeptemberC27perforated stemP01Teak caterpillar pestsP02UretpestsP03Red mite pests / akarinaP04White Mite pests / lice wax		
C18 Withered leaves and Dries C19 There is Swelling in stem C20 Occurred Between the November-January C21 Occurred Between the February - April C22 Occurred Between the June - August C23 Occurred Between the March-April C24 Occurred Between the February - September C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C19 There is Swelling in stem C20 Occurred Between the November-January C21 Occurred Between the February - April C22 Occurred Between the June - August C23 Occurred Between the August - February C24 Occurred Between the March-April C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C20 Occurred Between the November-January C21 Occurred Between the February - April C22 Occurred Between the June - August C23 Occurred Between the August - February C24 Occurred Between the March-April C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C21 Occurred Between the February - April C22 Occurred Between the June - August C23 Occurred Between the August - February C24 Occurred Between the March-April C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C22 Occurred Between the June - August C23 Occurred Between the August - February C24 Occurs Between the March-April C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		-
C23 Occurred Between the August - February C24 Occurs Between the March-April C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C24 Occurs Between the March-April C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C25 Occurred Between the February - September C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C26 Occurred Between the February - September C27 perforated stem P01 Teak caterpillar pests P02 Urstnests P03 Red mite pests / akarina P04 White Mite pests / lice wax		
C27 perforated stem P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		· · ·
P01 Teak caterpillar pests P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		· ·
P02 Uretpests P03 Red mite pests / akarina P04 White Mite pests / lice wax		•
P03 Red mite pests / akarina P04 White Mite pests / lice wax		
P04 White Mite pests / lice wax		
1		
P05 White fliesPests		•
	P05	White fliesPests

Improvement of infant neonate infarction condition if lag time between attack and handling still less than three hours and immediately opening the blockage, then can still be expected optimal recovery in patient. In addition to this, efforts to reduce risk factors for the occurrence of infarct among other things, by maintaining the stability of blood pressure, maintaining the balance of weight badaa, as well as the stability of blood sugar and cholesterol levels by improving diet and not smoking.

IV. Conclusion

Based on the design that has been created, it can be concluded that : it is necessary to create an application program that can be used to detect disease in plant teak. From the program that created later are application able to provide solutions to overcome problems or diseases that attack plants teak. To get a more varied this research may be further developed by researching new diseases that arise with the characteristics or symptoms that mark the disease. It is very important to investigate new symptoms that arise in disease of teak plant that already exists. Several types of pests may become resistant to a particular pesticide, therefore needs to be done towards innovation and new solutions to pest arising. Necessary new innovations for the pest handling so that more effective.

References

Sumijan, Agus Perdana Windarto, [1] Abulwafa Muhammad and Budiharjo, 2016, Implementation of Neural Networks Predicting in theUnderstanding Level of Students of Subject, International Journal Software Engineering and Its Applications Vol. 10, No. 10 (2016), 189-204 pp. http://dx.doi.org/10.14257/ijseia.2016. 10.10.18.

- [2] H. Chiroma, S. Abdulkareem, A. I. Abubakar and T. Herawan, "Kernel functions for the support vector machine: comparing performances on crude oil price data", In Recent Advances on Soft Computing and Data Mining, Springer International Publishing, (2014), pp. 273-281.
- R. F. Hakim, E. N. Sari and T. [3] Herawan, "Soft Solution of Soft Set Theory for Recommendation in Decision Making", In Recent Advances on Soft Computing and Data Mining, Springer International Publishing, (2014), pp. 313-324.
- [4] A. Lasisi, R. Ghazali and T. Herawan, "Comparative performance analysis of negative selection algorithm with immune and classification algorithms", In Recent Advances on Soft Computing and Data Mining, Springer International Publishing, pp. 441 -452.
- [5] B. Handaga, T. Herawan and M. M. Deris, "FSSC: An Algorithm for Classifying Numerical Data Using Fuzzy Soft Set Theory", International Journal of Fuzzy System Applications (IJFSA), vol. 2, no. 4, (2012), pp. 29-46.
- T. Herawan, Z. Abdullah, H. Chiroma, [6] E. N. Sari, R. Ghazali and N. M. Nawi, "Cauchy criterion for the Henstock-Kurzweil integrability of fuzzy functions", number-valued In Advances in Computing, Communications and Informatics 2014 (ICACCI, International Conference, IEEE, pp. 1329-1333.
- [7] Ma, X., Qin, H., Sulaiman, N., Herawan, T. and Abawajy, J.H., 2014. The parameter reduction of the interval-valued fuzzy soft sets and its related algorithms.IEEE Transactions on Fuzzy Systems, 22(1), pp.57-71.
- [8] Yanto, I.T.R., Ismail, M.A. and Herawan, T., 2016. A modified Fuzzy k-Partition based on indiscernibility

relation for categorical data clustering. Engineering Applications of Artificial Intelligence, 53, pp.41 -52.

- Abubakar, A.I., Zeki, A., Chiroma, H. [9] and Herawan, T., 2014. Investigating Rendering Speed and Download Rate of Three-Dimension (3D) Mobile Map Intended for Navigation Aid Using Genetic Algorithm. In Recent Advances on Soft Computing and Data Mining (pp. 261 -271).Springer International Publishing.
- [10] Qin, H., Ma, X., Herawan, T. and Zain, J.M., 2012, May. An improved genetic clustering algorithm for categorical data.In Pacific-Asia Conference on Knowledge Discovery and Data Mining (pp. 100-111).Springer Berlin Heidelberg.
- [11] Shah, H., Ghazali, R., Nawi, N.M., Deris, M.M. and Herawan, T., 2013. Global artificial bee colonyLevenberq-Marquardt (GABC-LM) algorithm for classification.International Journal of Applied Evolutionary Computation (IJAEC), 4(3), pp.58-74.
- [12] Castaño, B., Moreno, Á ., Carbajo, M. and de Pedro, J., 2008. Artificial Intelligence and Bluetooth Techniques in a Multi-user M-learning Domain.IJCSA, 5(1), pp.1 -13.
- [13] Mohammad Mohammadi and Shahram Jafari,2014, An expert system for recommending suitable ornamental fish addition to an aquarium based on

aquarium condition, International Journal of advanced studies in Computer Science and Engineering IJASCSE, Volume 3, Issue 2.

- [14] Raymond McLeod, Jr. Management Information Systems, Prentice-Hall International, Inc. 1998.
- [15] Mahmood Houshmand and Mohammad Daneshvar Kakhki,2007,Presenting a Rule Based Loan Evaluation Expert System, International Conference on Information Technology (ITNG'07),0-7695-2776-0/07 \$20.00 © 2007, IEEE.
- [16] Sasikumar, M, S Ramani, S Muthu Raman, KSR Anjaneyulu, and R Chandrasekar. 2007. A PracticalIntstemuction to Rule Based Expert. New Delhi: Narosa Publishing House.
- [17] Durnkin, John. 1994. Expert system design anddevelopment. New York: Macmillan Publishing Company.
- [18] Liao, Shu-Hsien. 2005. "Expert system methodologies and applications—a decade review from 1995 to 2004." *Elsevier* 1 -11