

International Conference on Applied Science and Health 2017

Improving health and well-being for better society

# ICASH-A03

# UNMET NEED FOR FAMILY PLANNING PROGRAM; A SITUATIONAL ANALYSIS OF BIRTH SPACING AND LIMITING AMONG REPRODUCTIVE AGE WOMEN IN PANGKALPINANG CITY, BANGKA BELITUNG PROVINCE INDONESIA

Antarini<sup>1\*</sup>, Siti Masfiah<sup>2</sup>, Ayu Fitriani<sup>3</sup>, Lili Junaidi<sup>4</sup>

<sup>1</sup>Health Polytechnic of Pangkalpinang <sup>2</sup>Soedirman General University of Purwokerto <sup>3</sup>Respati University of Yogyakarta <sup>4</sup>Port Health Office of Semarang

\* Corresponding author's email: antarini22@gmail.com

## ABSTRACT

**Background:** Population growth, become one of priority problems, should be solved in almost all of developing countries, including Indonesia. In 2007, unmet need was 8.6%, inclined to 11.4% in 2015, which is consisted of 4.5% for spacing children and 8.6% for limiting children. Social demography, economic, access to health services, family support and perception revealed have the contribution to unmet need.

*Aims:* This study aimed to explore unmet need family planning due to birth spacing and limiting situation among reproductive age women in Pangkal Pinang City, Bangka Belitung Province.

**Methods:** It was survey research used cross-sectional design. The population was women of childbearing age who experienced unmet need of family planning in Pangkal Pinang, 2016. A total of 98 women was taken by proportional random sampling to participate in this study. Data was analyzed using descriptive statistics and used to report the results in the form of frequency distribution and percentage (%) of each item.

**Results:** Research showed that the most of the unmet need for family planning was among 25-29 years old women. About two third (66.3%) of unmet need women occurred due to the willingness to space the childbirth and 33.7% willing to limit the childbirth. Birth spacing tended to be favored by young mothers, early marriage (1-5 years old), had low parity and had low education attainment. Whilst, limiting childbirth tended to be preferred by women with lenght of marriage experience (>15 years old), had high parity, older mothers, and secondary education level (senior high school) attainment. Both of spacing and limiting have no difference according to the economic situation. All of them mostly were the household wife from low-income family. Husband support to not use contraception was found in both birth spacing and birth limiting.

**Conclusion:** The study suggests to provincial health office and national family planning coordination board that family planning program should not just involve the wife, but husband as well due to their high influence in family planning decision.

Keywords: Unmet need, family planning, birth spacing, limiting

## **INTRODUCTION**

World population data sheet 2013, reported Indonesia as the fifth populated nation in the world, consist of 249 million people and the largest among ASEAN countries. Total fertility rate (TFR) showed above average line of ASEAN countries [2.4]. Based on Statistic Indonesia (BPS), 2014, among the number of population in Indonesia (252.164,8 thousand people), about 51% are



female. With the rate of growth of 1.4% per year (2010-2014), it is predicted will reach 337 million people in 20150 [1].

Population growth in Indonesia started to raise again since 2000, while it had declined in several previous decades before. Backward, start in 1969, Indonesia have been implementing family planning program to reduce the population growth. It recorded as one of the successful history worldwide on population program. Family planning program can push down the number of people [2]. However, it changes, now it becomes one of the biggest challenge in Indonesia [1]. Rapid population growth effects many sectors of development in Indonesia. Ministry of Health and National Family Planning Coordination Board (BKKBN) tried hard to evaluate and examine family planning related problems [3].

Family planning program is an effort to limited the number of children spouse should have and how to make space for delivery. It includes contraception methods and family planning strategy. The basic principle of contraception method is to prevent fertilization, how to make sperm can not reach the egg, or how to make fertilized egg can not develop further in the uterus [4].

Successful history of family planning program in Indonesia was influenced by many factors included family planning related knowledge, perception, adherence to used contraception method, religion support, cultures support, family support and sexual activity [5].

Government has been doing massive socialization related to family planning program, however recently there is still a huge number of unmet need. Unmet need is the condition when specific people, including childbearing age spouses, need the contraception but did not use the contraception [2]. Based on Indonesia demographic and health survey (DHS), the group of people included in this category is all fertile women who were married or living together, which included sexual partners active, who do not want more children or wanting to delay the next child in at least two years but did not use any of the types of contraceptives [6].

The number of unmet need in Indonesia reached 11.4% which is consisted of 4.5% for spacing children and 6.9% limiting children. This number increased compared to previous number 8.7% in 2007. Contraception used prevalence increased from 50% to 62% in 1991 to 2012, however, in last decade it just increased 1%. The percentage of married women who need family planning services in Indonesia is currently around 73%, however, it just about 85% of them has been fulfilled. The reason for the high unmet need mostly related to the socio-demographic and economic factor, access to the services, quality of supply and service planning, lack of information, conflicts in the family and society, lack of information, low support from husband, families and communities, also perception of the risk of pregnancy [8].

Unmet need number varies between provinces, in 2007 the lowest unmet need was 3.2% in Bangka Belitung and the highest 22.4% in Maluku. In 2012 Indonesia Demographic and Health Survey lowest position was Central Kalimantan 7.6% and the highest was Papua 23.8% (8). On the contrary, Bangka Belitung became one of high unmet need province in 2015. The number of spouses childbearing age was 251,304 people. those, 205,072 people were acceptors in Of active, and 28,093 people (11.1%) did not participate in family planning due to the willingness to delay having children and willingness to stop having children (7). Unmet need for family planning in Bangka Belitung spread in six districts, particularly in the urban area. One of the high numbers is Pangkal Pinang district. This study aimed to explore unmet need family planning due to birth spacing and limiting situation among reproductive age women in Pangkal Pinang City, Bangka Belitung Province.



### **METHODS**

This type of research was survey with cross-sectional study to 98 reproductive aged women who stated as the unmet need for family planning at Pangkalpinang, Indonesia, in 2016 report. A sample of 98 respondents used the criteria that reproductive age women between 15-49 years, women who need to space their birth (birth spacing) and unwanted children anymore (birth limiting). This study was to explore unmet need family planning due to birth spacing and limiting situation. Data were analyzed using descriptive analytic to report the results in the form of frequency distribution and percentage (%) of each item. The ethical clearance for the study was approved by the Health Polytechnic of Semarang, Ministry of Health, Republic of Indonesia.

### RESULTS

### Characteristics of respondents

 Table 1. Distribution of Respondent based on characteristics of respondents toward Unmet Need in

 the Pangkalpinang City 2016

Characteristic	<b>F</b> ( <b>n</b> )	Percentage
Age		
Adolescent	9	91,8
Adult	89	90,8
Length of Married		
1-5 years	30	30,6
6-10 years	27	27,6
11-15 years	15	15,3
>15 years	26	26,5
Education		
No Education	1	1
Unpassed primary school	6	6,1
Primary School	19	19,4
Junior High School	14	14,3
Unpassed Senior High School	3	3.1
Senior High School	50	51
Bachelor	5	5,1
Job		,
Civil servant	3	3,1
Private employee	5	5,1
Labor	1	1
Trader	24	24,5
Housewife	64	65,3
others	1	1
Income		
<1 million	17	17,3
1-2 million	54	55,1
2-4 million	24	24,5
>4 million	3	3,1
Parity	-	-,-
0	10	10,2
1-2	66	67,3
3-4	20	20,4
>4	2	20,1

From Table 1 it can be noted that the highest percentage of unmet need women in Pangkal Pinang is on range of age 25-29 years (33,7%). The length of married is not much varied, respondents



Improving health and well-being for better society

with lenght married 5 to 10 years have a high percentage of unmet need. (30,6%). Last education of respondents with *unmet need* was senior high school (51%), their work as housewife (65,3%) and income permonth around 1 to 2 million (55,1%). Most of the women with unmet need have marital status is married (98%) with parity 1 to 2 childs (67,3%).

Table 2. Bivariat Analysis Results Summary							
Characteristic	Unmet Need for Famili Planning				— Total		
	SI	pacing		Limiting		TOTAL	
	f	%	f	%	f	%	
Age							
Adolescent	8	88,9	1	11,1	9	100	
Adult	57	64	32	36	89	100	
Education							
Under Senior High School	28	65,1	15	34,9	43	100	
Senior High School/upper	37	67,3	18	32,7	55	100	
Job							
Work	19	55,9	15	44,1	34	100	
No Work	46	71,9	18	28,2	64	100	
Length of married							
1-5 years	27	90	3	10	30	100	
5-10 years	20	74,1	7	25,9	27	100	
11-15 years	11	73,7	4	26,7	15	100	
>15 years	7	26,9	19	73,1	26	100	
Parity							
1-2	59	77,6	17	22,4	76	100	
>2	6	27,3	16	72,7	22	100	
Income							
<1 million	12	70,6	5	29,4	17	100	
1 -2 juta	38	70,4	16	29,6	54	100	
>2 juta	15	55,6	12	44,4	27	100	
Husband's Role		-		-			
Yes	64	66,7	32	33,3	96	100	
No	1	50	1	50	2	100	
Husband's Attitude							
Agree	59	67	29	33	88	100	
Disagree	6	60	4	40	10	100	
Discussion about Contraceptive	-	~ ~	-				
Yes	59	69,4	26	30,6	85	100	
No	6	46,2	7	53,8	13	100	

# DISCUSSION

In Indonesia the number of unmet need reached 11% of women in reproductive age, of those 4% were due to spacing, and 7% for limiting childbirth. This figure increased compared to the previous survey resulted 8.6 percent of women in reproductive age. In fact, the prevalence of contraceptive use increased from 50% in 1991 to 62% in 2012, but within the last 10 years of modern contraceptive use increased by only 1% only. The percentage of married women who need family planning services in Indonesia is currently around 73% of which 85% of them have been fulfilled. If all requirements of planning services are met then contraceptive prevalence can be improved from



62% to 73%. From the report IDHS 2012, this data has not changed. As many as 88% of married women have unmet need for family planning services are almost the same as a state in 2007 (87%), meaning that the percentage of new acceptors has not risen significantly only 1% only.

National family planning coordination board try to reduce this number of unmet need, because it reveaaled as one of leading causes in maternal mortality (75%). This phenomena occured globally as well. Indonesia's maternal mortality is estimated to increase to 359 / 100,000 live births and if unmet need is not immediately addressed, then this figure will be higher. Women of reproductive age who do not use birth control have high risk to get pregnant and has a great opportunity to experience complications during pregnancy, childbirth and postpartum. This can be caused abortion due to unwanted pregnancy, pregnant spacing, and gave birth too frequent, complications during pregnancy, childbirth and postpartum.

### Characteristic of respondents

The highest percentage is women who unmet need in this study were at the age range 25-29 years (33.7%). Unmet need in this age range are targeted delay the child pregnancy. The lenght of marriage is not vary in this study, respondents with a long marriage between 5 to 10 years old have a high percentage of unmet need (30.6% and 27.6%). Education attainment of respondents mostly are high school (51%), they are housewife (65.3%) with the range of income were between 1 to 2 million rupiah (55.1%). Almost all of the respondents are married (98%) and the rest of them have been divorced. The number of living children they have are about 1 to 2 children (67.3%). According to respondents perception, the ideal number of children are 2 children. Related to health services, they stated that health care are easy to access.

There is a decreasing pattern of the need for birth spacing after reaching the age of 30 years, and for the purpose of limiting childbirth reach the peaked at age 35-44. This is in accordance with the framework analysis of relationship of age with unmet need for family planning that status of unmet will be high in younger women and tend to decrease as the age getting older, it is looks like inverted U-shaped. [9]

#### Situational analysis of unmeet need to space childbirth in Pangkal Pinang

This study found that about two third (66.3%) of unmet need women in Pangkal Pinang occured due to willingness to space the childbirth. Birth spacing tended to be favoured by young mothers. Previous study, Withers found that younger women were more likely to desire to add children. They still tend to have a willingness to have children, however they want to space the birth [10]. The study conducted in Kenya established that older women tend to have unmet need for child spacing whereas a woman with a bigger family size would necessarily seek for family planning to limit child bearing, and that there is no favourable association between unmet need for family planning and level of education [11]. As age increases, a woman especially from rural area's propensity of having unmet need for family planning to space child bearing decreases. This trend is so consistent that younger women are bound to experience higher risk of unmet need for contraception to space births. As Wangila points out, as women grow older by age, they tend to achieve their desired family sizes [12]. Moreover, older women tend to have a reduced coital frequency, and therefore may not need contraception to space their births [13].

Unmet need for space chilbirth in women in Pangkal Pinang revealed mostly from early marriage (1-5 years old) women, had low parity and had low education attainment. It is similar with other research, found that total unmet need is higher among women with larger number of living children and among those who have primary level of education [14]. Woman's level of education can predict her level of unmet need for contraception to space. This is because the lower the level of



Improving health and well-being for better society

education, the greater the chances that such a woman would have unmet need for spacing. Benard reports that women with primary education are most likely to have unmet need for spacing. However, the level of unmet need reduces with rise in educational level, such that individuals with postsecondary education are least likely to experience unmet need to space childbirths [15]. It is arguable that education imparts knowledge on the importance of using contraception to space childbirths. Moreover, education presents a woman with opportunity to interact with other women from diverse cultural and geographical bounds, from which they are able to acquire new information and skills including use of family planning to space births.

### Situational analysis of unmet need to limit childbirth in Pangkal Pinang

This study reported that unmet need to limit childbirth tended to be preferred by women with leght marriage experience (>15 years old), had high parity, older mothers and middle education level (senior high school) attainment. This research also found both of spacing and limiting have no difference according to economic situation, all of them mostly were household wife from low income family. Husband support to do not use contraception were found in both birth spacing and birth limiting. Ojakaa reports that working women are more likely to report method related reasons for not using family planning methods and are less likely to report opposition to family planning than women who do not work. It is clear that women who are currently employed are less likely to experience unmet need to space compared to women who are not employed [14]. Casterline et al. (1997) argue that women who are employed have the capacity to make decision and to purchase contraceptives to space their births [16]. Moreover, it is arguable that currently employed women would need adequate time to concentrate more on their employment-related activities than family matters, as such would opt to space their births [17]. Coupled with the difficulty a woman faces in acquiring maternity leave, many women would not want to frequently seek for maternity leaves from their employers, thus would want to have wider spaces between their births.

### **CONCLUSION**

The percentage of married women ages 15-49 who unmet need is higher in women aged 25-29 years, who have children 1-2, has been married five (5) years or more, secondary education (high school), income of 1-2 million, does not play a role in household decision-making. Most women of childbearing age who never discussed the unmet needs of family planning with their husbands (86.7%) and the attitude of their husbands agree to family planning (89.8%).

### ACKNOWLEDGMENT

The authors of this paper would like to thank to the Health Polytechnic of Pangkalpinang, Ministry of Health.

#### REFERENCES

- [1] BPS. Penduduk Indonesia MenurutPropinsi 1971, 1980, 1990, 1995, 2000,2010, 2014 (Indonesian Population by Province, 1971, 1980, 1990, 1995, 2000.2010, 2014). Jakarta: Badan Pusat Statistik; 2014.
- [2] Sariestya, R. Unmet Need: Tantangan Program Keluarga Berencana Dalam Menghadapi Ledakan Penduduk Tahun 2030 (Unmet Need: Challenges the Family Planning Program in Facing Population Explosion year 2030); 2014. Accessed from repository.unpad.ac.id/19758/1/ARTIKEL-UNMET-NEED.pdf
- [3] Irianto, K. Pelayanan Keluarga Berencana (Family Planning Services), Bandung: Alfabeta; 2014
- [4] Walyani, E. Kesehatan Reproduksi dan Keluarga Berencana (Reproductive Health and Family Planning), Yogyakarta: Pustaka Baru Press; 2015.
- [5] Sulistyawati, A. Pelayanan Keluarga Berencana ((Family Planning Services), Jakarta: Salemba Medika; 2012.
- [6] Proverawati, A. Panduan Memilih Kontrasepsi (A Guide to Contraception), Yogyakarta: Nuha Medika; 2010.