DESIGN OF DECISION SUPPORT SYSTEM SELECTION OF BEACH TOURISM OBJECT IN GUNUNGKIDUL USING FUZZY AHP METHOD

Yudi Istianto Department of Informatics Engineering Faculty of Science and Technology Universitas Islam Negeri Sunan Kalijaga Yogyakarta, Indonesia

Abstract- The tourism industry is currently one of the important assessments for a certain region. Gunungkidul has a lot of of beach tourism potentials until visitors are confused to choose the right beach. The purpose of this research is to analyze and apply Fuzzy Analytical Hierarchy Process method in calculating the selection of beach tourism object in Gunungkidul with eight main criteria into a website.

Multi Criteria Decision Making (MCDM) is a decision-making method to establish the best alternative of a number of alternatives based on several criteria that will be considered. One method of MCDM is the Fuzzy Analytical Hierarchy Process method. Fuzzy Analytical Hierarchy Process is a method of developing Analytical Hierarchy Process (AHP), which can describe unclear decisions and minimize uncertainty on AHP. Fuzzy approach, especially triangular fuzzy number to AHP scale, is expected to minimize uncertainty so that expected result was obtained more accurately.

The decision support system for choosing a beach resort in Gunungkidul has been successfully built by applying the Fuzzy Analytical Hierarchy Process method. The calculation of Fuzzy Analytical Hierarchy Process method with the same computer result with manual calculation. The testing system was done using Black Box method by testing Alpha and Betha. From the results of system testing, it was known that the average result of the overall function score was 104 which was on rating scale 97.51 - 120 (Very Good).

Keyword : Fuzzy Analytical Process, Multi Criteria Decision Making, Triangular Fuzzy Number.

I. INTRODUCTION

The tourism industry is currently one of the important assessments for a certain region. Gunungkidul has a lot of beach tourism potentials. The beauty of the beaches that are still natural and not many of the changes made by the local people are the advantages of the beach base in Gunungkidul compared to the beaches in other regions.

Beach tourism in Gunungkidul is quite a lot so visitors are confused about choosing the right beach tour. Every beach in Gunungkidul has its own distinct advantages. In the selection of beaches, the data used is qualitative and Bambang Sugiantoro Department of Informatics Engineering Faculty of Science and Technology Universitas Islam Negeri Sunan Kalijaga Yogyakarta, Indonesia Bambang.sugiantoro@uin-suka.ac.id

quantitative. Therefore, the selection of beaches can be done by giving weighting to certain criteria that have been set.

Multi Criteria Decision Making (MCDM) is a method used to determine alternatives from several alternatives that will be taken into consideration. One of the MCDM methods is the method Fuzzy Analytical Hierarchy Process. Fuzzy Analytical Hierarchy Process method is a development from (AHP) method. Fuzzy Analytical Hierarchy Process method can handle method weaknesses (AHP), which when determining weights for difficult criteria can be overcome. Fuzzy Analytical Hierarchy Process method allows process descriptions making more accurate decisions and describing them uncertainty specifically mathematically. Triangular fuzzy number approach in AHP method is an approach used to minimize uncertainty on the AHP scale which is the value of 'crisp'. The approach taken is to do fuzzification on the AHP scale to obtain a new scale called the AHP fuzzy scale (Source: Anshori Yusuf, 2012). The focus of this research is how to apply Multi Criteria Decision Making (MCDM) on Design of Decision Support System for Selection of Beach Tourism Object in Gunungkidul using Fuzzy Analytical Hierarchy Process method and how to implement it in the form of a website.

II. PURPOSE

The purpose of this research is as follows :

- 1. Analyze and determine *Fuzzy Analytical Hierarchy Process* method in the calculation of the selection of coastal attractions in Gunungkidul, The main criteria used are price, distance, security, crowds, cleanliness, cleanliness, terrain and facilities.
- 2. Building a Decision Support System for the Selection of Beach Tourism Objects in Gunungkidul based on websites.

III. METHODOLOGY

The system development methods used are as follows:

1. Preliminary studies

In this study the author uses the *Fuzzy Analytical Hierarchy Process* method of weighting criteria for possible descriptions of more accurate decision-making processes and describe it specifically mathematically and full of uncertainty.

2. Data Collection

Data collection used in this research there are two stages:

a. Study of Literature


This stage is the stage of finding and learning references in the form of papers, journals, theses, and books related to the research conducted


b. Interview

This stage is the interview stage by asking the parties directly related to visitors to beach tourism and residents around the coastal tourism objects in Gunungkidul.

3. System Development Method

The system development method used for system development in this research is the System Development Life Cycle (SDLC) method using the Waterfall model.





(Sumber : Pressman Roger . S, 1997)

IV. RESULT AND DISCUSSION

A. System Description

Decision support system for the selection of coastal tourism objects in Gunungkidul is a software built for helping website visitors (the community) to determine the right beach choice to be visited by website visitors in accordance with *Fuzzy Analytical Hierarchy Process* method. Calculation process with *Fuzzy Analytical Hierarchy* method can be conducted by providing beach data and the data of each subcriteria that has been input by admin.

B. Input System

Input data needed for getting a beach alternative to compare is the beach data entered by the admin. The data has been stored in the system database.

C. Output System


Output system is the beach ranking that has been sorted by the final result from the highest to the lowest. The beach recommended by the system is the beach has the highest final value after calculation with *Fuzzy Analytical Hierarchy Process* method that already done by system.

D. Discussion of calculation Fuzzy Analytical Hierarchy Process

The following steps can be done to calculate the final value of the beach with *Fuzzy Analytical Hierarchy Process* method.

1. Hierarchical Stucture

Determine comparison of paired matrix websites between criteria with *Tryangular Fuzzy Number* / TFN scale based on the level of importance inputted by visitors.



Picture 4.1 Hierarchical Stucture

2. Determine value *fuzzy* synthesis (*S_i*) priority with formula :

Where :

$$\sum_{j=1}^{m} M_{i}^{j} = \sum_{j=1}^{m} lj, \sum_{j=1}^{m} mj, M_{j=1}^{m} uj.....(2)$$

while :

$$\frac{1}{\sum_{j=1}^{n} \sum_{j=1}^{m} M_{i}^{j}} = \frac{1}{\sum_{i=1}^{n} ui, \sum_{i=1}^{n} mi, \sum_{i=1}^{n} li}.....(3)$$

| S | Nilai L | Nilai M | Nilai U |
|------------|---------|---------|---------|
| S1 | 0.041 | 0.168 | 0.465 |
| S2 | 0.012 | 0.025 | 0.103 |
| S3 | 0.090 | 0.225 | 0.542 |
| S4 | 0.070 | 0.166 | 0.393 |
| S 5 | 0.028 | 0.058 | 0.213 |
| S6 | 0.088 | 0.183 | 0.353 |

| S7 | 0.056 | 0.120 | 0.264 |
|-----------|-------|-------|-------|
| S8 | 0.016 | 0.052 | 0.125 |

3. Determination of Vektor value (V) and Ordinate value Defuzzifikasi (d')

If the result are obtained on each fuzzy matrix, $M_2 \ge M_1$ $M_2 = (l_2, m_2, u_2)$ and $M_1 = (l_1, m_1, u_1)$ then *vector* value can be formulated as follows :

$$V(S_{2} \geq S_{1}) = \begin{cases} 1, if \ m_{2} \geq m_{1} \\ 0, if \ l_{1} \geq u_{2} \\ \frac{(l_{1}-u_{2})}{(m_{2}-u_{2})-(m_{1}-u_{1})}, others \end{cases}$$
(4)

4. Normalization value *fuzzy* vektor (W)

After normalization, vector value can be formulated as follows.

| $W = (d(A_1), d(A_2),, d(A_n))^T$ | where W is number non <i>fuzzy</i> . |
|-----------------------------------|--------------------------------------|
|-----------------------------------|--------------------------------------|

 Tabel 4.4 Normalization Vektor Value

| - | d(A1) | d(A2) | d(A3) | d(A4) | d(A5) | d(A6) | d(A7) | d(A8) |
|---|-------|-------|-------|-------|-------|-------|-------|-------|
| W | 0.179 | 0.012 | 0.206 | 0.172 | 0.087 | 0.177 | 0.128 | 0.034 |

5. Calculate the total alternative

Calculate the total alternative done by multiplying between priority value with subcriteria value of alternative.

| Kriteria | Pantai | Pantai | Pantai | Pantai | Pantai Watu |
|------------|----------|--------|--------|--------|-------------|
| Pantai | Kosakora | Baron | Ngeden | Gesing | Lumbung |
| Jarak | 0.0315 | 0.0315 | 0.0383 | 0.0383 | 0.0315 |
| Harga | 0.0006 | 0.0006 | 0.0047 | 0.0047 | 0.0047 |
| Keamanan | 0.0774 | 0.1182 | 0.0105 | 0.0105 | 0.0105 |
| Keramaian | 0.0990 | 0.0990 | 0.0088 | 0.0088 | 0.0088 |
| Kebersihan | 0.0503 | 0.0503 | 0.0329 | 0.0329 | 0.0329 |
| Keunikan | 0.1020 | 0.1020 | 0.1020 | 0.1020 | 0.1020 |
| Medan | 0.0378 | 0.0378 | 0.0310 | 0.0310 | 0.0213 |
| Fasilitas | 0.0133 | 0.0133 | 0.0119 | 0.0133 | 0.0079 |
| TOTAL | 0.4119 | 0.4527 | 0.2401 | 0.2415 | 0.2196 |

Tabel 4.5 Tabel total Alternatif value

6. Alternative Ranking

Alternative ranking is done in a way compare the average total weight of alternatives compared. Average number of total weights the biggest alternative is first rank. Calculation of the average total weight can be formulated as follows :

Average weight = $\frac{\text{Amount of weight}}{\text{Amount of criteria}}$

| Tabel 4.6 Result of beach ranking : |
|--|
|--|

| RANKING | BEACH | AVERAGE |
|---------|-----------------------|----------|
| 1 | Baron Beach | 0,392969 |
| 2 | Kosakora Beach | 0.4119 |
| 3 | Gesing Beach | 0.2415 |
| 4 | Ngeden Beach | 0.2401 |
| 5 | Watu Lumbung Beach | 0.2196 |

E. Discussion of Testing Result

Testing conducted in this research includes testing validity, reliability, determining the rating scale ideal score. Technique sampling in Betha testing taken using techniques Purposive Sampling.

1) Validity Testing of Research Instruments

After collecting data obtained from answer to the respondent's questionnaire, then next the questionnaire was tested first whether it is valid or not by testing the validity. Validity testing is conducted by correlating item scores with a total score.

 Tabel 4.7 Instrument Validity Test Results Research.

| No | Fungsi | Item Uji | Nilai Korelasi | R Tabel | Ket |
|----|--------------------|-------------|-------------------|------------|-------|
| 1 | Interakti fitas | Soal 1 | 0.976 | 0.361 | valid |
| 2 | Sistem | Soal 2 | 0.970 | 0.361 | valid |
| 3 | - | Soal 3 | 0.972 | 0.361 | valid |
| 4 | Penanga | Soal 4 | 0.976 | 0.361 | valid |
| 5 | nan Session | Soal 5 | 0.976 | 0.361 | valid |

2) Research Instrument Reliability Testing

After testing the instrument validity research and result is valid then do reliabilitas testing.

Setelah melakukan uji validitas instrument penelitian dan hasil yang diperoleh semua valid maka dilakukan pengujian reliabilitas.

Tabel 4.8 Result of Instrument Reliability Testing Research.

| | Ν | % |
|---------------------|---------------|-------|
| Valid | 30 | 100,0 |
| Excluded Cases a | 0 | ,0 |
| Total | 30 | 100,0 |
| Cronbach's Alpha | N of Items | |
| 0.973 | 5 | |

Based on the results of the reliability test in the table above proved that the value of Cronbach's Alpha instrument greater than 0.361, then the instrument this is stated as Reliable and all items questions used as instruments research can be trusted as a measuring tool research.

3) Determination of Idea Score

The ideal score is the score used for calculate the score to determine the rating scale and the total of answers. In the calculation the amount of the ideal score is used as the formula the following:

Ideal Score = Scale Value x Number of Respondents

In accordance with the score of the answers that have been used to rate each score using a scale Link, then the criteria score after calculation can be seen in the following table:

Tabel 4.9 Calculation of Ideal Scores

| Skala Linkert | Rumus |
|---------------|--------------|
| Sangat Setuju | 4 x 30 = 120 |
| Setuju | 3 x 30 = 90 |

| | | VOL. O, N |
|-----------|-------|-------------|
| Tidak Set | uiu | 2 x 30 = 60 |
| maak See | aja | 2 × 30 = 00 |
| | | |
| | | |
| Sangat | Tidak | 1 x 30 = 30 |
| U | | |
| | | |
| Setuju | | |
| | | |
| | | |
| L | | |

4) Rating Scale

The rating scale is obtained by finding distance interval of total maximum score with total score the minimum is then divided by the number of scales used or in this study is 4 (Strongly Agree, Agree, Disagree, and Very Disagree). The following is the formula used to find interval intervals:

| Interval Distance = |
|---|
| Maximum total score-Minimum total score |
| number of scale. |

Based on the formula above, the distance is obtained interval:

Interval Distance
$$=\frac{120-30}{4}=22.5$$

 Tabel 4.10 Determination Rating Scale

| Interval | Rating Scale |
|------------|--------------|
| 97.51-120 | Very Good |
| 75.01-97.5 | Good |
| 52.51-75 | Enough |
| 30-52.5 | Nasty |

5) Result of System Usability Testing

After system usability testing is find total value form total questions. Then add total value to each function, to find average score value from each function so it is obtained rating value on each function. The following is the formula fo finding the average value of the total score. (Nurgiyanto, 2004)

$$\overline{\mathbf{X}} = \frac{\sum \mathbf{X}}{\mathbf{N}}$$

explanation :

 $\overline{\mathbf{X}}$ = average value

 $\sum X = total skor$

- N = total subyek
- a) Result Of Interactivity System Testing

Interactivity testing Results have 3 questions to measure the interactivity of the system usability. Then from score total of each question to interactivity system can calculate average

value which is used to determine the rating scale of the function.

| Tabel 4.11 Result | Of Interactivity System | | | |
|-------------------|-------------------------|--|--|--|
| Testing | | | | |

| Functio n | Test item | Score total | Aver age | Conclus ion |
|-----------------------------|----------------|----------------|-------------|----------------|
| Interakti fiti Sistem | questi on 1 | 106 | 102 | Very good |
| | questi on 2 | 101 | | |
| | questi on 3 | 100 | | |

b) Result of Session Handling Session

The Session Handling function has 2 question to measure usability function Session Handling. Next from the total score each statement can be calculated on average total score which is used to find out the rating scale the function.

Tabel 4.12 Result of testing session handling function

| Function | Test item | Score total | Average | Conclusion |
|------------|--------------|----------------|---------|----------------|
| Penanganan | Soal 4 | 106 | 106 | Sangat Baik |
| Session | Soal 5 | 106 | | Ваік |

F. Conclusion of Betha Testing

Based on the results of testing each system usability, the average score of each function can be calculated, to find the average overall score of functionality, to look for value ratings of all functions that exist on the system. The following formula in finding the average score for all functions contained in the system (Nurgiyanto, 2004):

$$\overline{\mathbf{X}} = \frac{\Sigma \mathbf{X}}{\mathbf{N}}$$

Explanation :

 $\overline{\mathbf{X}}$ = average value

= total score = number of subject

Based on the formula above, the average total score of functions available on the system is obtained:

Based on the results of the average total score of all functions contained in the system, obtained the results of the average total function score of 104 which is on the rating scale between 97.51 - 120 (Very Good), then it can be concluded that the entire function contained in the system has a Very Good rating scale which means that the system that is late is feasible to be implemented.

CONCLUSION

Based on the results of research and testing of decision support systems for the selection of coastal tourism objects in Gunungkidul that have been carried out by the author, the following conclusions can be drawn

Decision support system for the selection of beaches in Gunungkidul using the Fuzzy Analytical Hierarchy Process method was successfully created.

The website has been successfully built and b) uploaded to hosting by applying the Fuzzy Anaytical Hierarchy Process method in weighting according to the beach data in Gunungkidul Regency.

ACKNOWLEDGMENT

Thank you for Ade Ratnasari, M.T, as a supervisor, so we can complete this paper. Do not forget also thanks to our parents who gave prayers and motivation to work on this paper.

REFERENCES

- [1] Anshori, Yusuf. 2012. "Pendekatan Triangular Fuzzy Number dalam Metode Analytic Hierarchy Process", Jurnal Ilmiah Foristek, Vol. 1, No. 1. Tersedia pada: http://jurnal.untad.ac.id/jurnal/index.php/FORISTEK/article/do wnload/663/582. [22 Desember 2016].
- [2] Ari, Basuki. 2010. "Perancangan Sistem Pendukung Keputusan Pemilihan Pemasok dengan Pendekatan Fuzzy Analytical Hierarchy Process (Fuzzy AHP)", Jurnal Mahasiswa PTIIK UB, Vol. 3, No. 1. Tersedia pada: http://filkom.ub.ac.id/doro/archives/detail/DR00084201406. [22 Desember 2016].
- Chang, D.Y. 1996. "Application of the Extent Analysis Method [3] on Fuzzy AHP". European Journal of Operational Research 95, 649-655.
- [4] Djarwanto, PS dan Subagyo Pangestu. 1998. Statistik Induktif. Jakarta: BPFE.
- Jasril dkk. 2011. Sistem Pendukung Keputusan (SPK) Pemilihan [5] Karyawan Terbaik Menggunakan Metode Fuzzy AHP (F-AHP), Aplikasi Teknologi Informasi, hal. F-Seminar Nasional 36-F-43.Yogyakarta.
- Kusumadewi, Sri dkk. 2006. Fuzzy Multi-Attribute Decision [6] Making (Fuzzy MADM. Yogyakarta: Graha Ilmu.
- [7] Kusumadewi, Sri dan Hari Purnomo. 2010. Aplikasi Logika Fuzzy untuk Pendukung Keputusan Edisi 2. Yogyakarta: Graha Ilmu.
- Mahargiyak, Eka dkk. 2014. "Implementasi Metode Fuzzy [8] Analytical Hirarchy Process (F-AHP) untuk Pemilihan Sumberdaya Manusia dalam Kepanitiaan Organisasi Mahasiswa", Jurnal Pengembangan Teknlogi Informasi dan *Ilmu Komputer, Vol. 3, No. 9.* Tersedia pada: <u>http://filkom.ub.ac.id/doro/archives/detail/DR00084201406</u>. [22 Desember 2016].

- [9] Mahdia, Faya dan Fiftin Noviyanto. 2013. "Pemanfaatan Google Maps API Untuk Pembangunan Sistem Informasi Manajem Bantuan Logistik Pasca Bencana Alam Berbasis Mobile Web", *Jurnal Sarjana Teknik Informatika, Vol. 1, No. 1*. Tersedia pada: <u>http://tytha19.blogspot.co.id/2016/05/jurnal-manajemenlayanan-sistem.html. [27</u> April 2017].
- [10] Malikah, Tutik. 2015. Implementasi Fuzzy Analitical Hierarchy Process (FAHP) untuk Proses Seleksi Usulan Kegiatan PNPM Mandiri Pendesaan. Skripsi. Semarang: FIK, Teknik Informatika, Universitas Dian Nuswantoro.
- [11] Nuraini, Ulva. 2015. Penerapan Metode Fuzzy Analytical Hierarchy Process dalam Menentukan Supplier Obat. Skripsi. Semarang: FIK, Teknik Informatika, Universitas Dian Nuswantoro.
- [12] Nurgiyantoro, Burhan dkk. 2004. *Statistik Terapan untuk Ilmu-Imu Sosial*. Yogyakarta: Gajah Mada University Press.
- [13] Nurhasanah, Nunung dan Aqil Muhammad Tanam. 2013.
 "Analisis Pemilihan Supplier untuk Pemesanan Bahan Baku yang Optimal Menggunakan AHP dan Fuzzy AHP : Studi Kasus di PT XYZ", *Jurnal Teknik Industri, no. 1441-6340, vol. 234.* Tersedia pada: <u>http://www.trijurnal.lemlit.trisakti.ac.id/index.php/tekin/article/v</u> <u>iew/1567/1357 [30</u> April 2017]
- [14] Permana Sapta Adi. 2013. Sistem Pendukung Keputusan Berbasis Fuzzy Analytical Hierarchy Process untuk Kelayakan Kredit Rumah. Skripsi. Semarang: FIK, Teknik Informatika, Universitas Dian Nuswantoro.
- [15] Pressman, Roger S. 1997. Software Engineering, A Practitioner's Approach McGraw-Hill Terjemahan LN Harnaningrum. Yogyakarta: Andi.
- [16] Rahardjo, Jani dan I Nyoman Sutapa. 2012. "Aplikasi Fuzzy Analytical Hierarchy Process dalam Seleksi Karywan", Jurnal Teknik Industri, Vol. 4, No. 2. Tersedia pada: http://jurnalindustri.petra.ac.id/index.php/ind/article/viewFile/1

<u>6011/16003</u>. [22 Desember 2016].